

## LIST OF REFERENCES CITED BY APPLICANT (Use several sheets if necessary)

	ATTY DOCKET NO. 11183-003-999	APPLICATION NO 10/524,134
١	APPLICANT	
1	Koenig et al.	
	FILING DATE	GROUP
	February 11, 2005	1644
	redition 11, 2005	

## U.S. PATENT DOCUMENTS

	<del>,  </del>		T	PAME NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
MATTER	1 1	DOCUMENT NUMBER	DATE				
C.C.	A01	4,179,337	12/18/1979	Davis et al.			
<u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>	A02	5,711,944	01/27/1998	Gilbert et al.			
	A03	5,888,533	03/30/1999	Dunn			
	A04	5,648,260	07/15/1999	Winter et al.			
_+	A04	5,945,115	08/31/1999	Dunn et al.			-
	A06	6,019,968	02/01/2000	Platz et al.		1	
<del></del> -	A07	6,132,764	10/17/2000	Li et al.		1	
}	A08	101.00	02/27/2001	Idusogie et al.	<del></del>		
		1 - 1 - 1 - 1 - 1	04/17/2001	Morrison et al.			
	A09	12226450	11/01/2001	Ravetch			+
	A10		01/15/2002	Meers et al.			
	All		03/07/2002	Morrison et al.			
	A12		07/16/2002	Fukuda et al.		7	
	A13		10/29/2002	Leung et al.			
	A14	1 (04	03/04/2003	1			
	A1:		06/19/2003	Kanda et al.			
	A1		11/17/1997				
Cic	. A1	7 5,837,243					

C.C.	A1	7	5,837,243	11/1//1221					
				FOREIGN	PATENT DOCUMENTS				
						CLASS	SUBCLASS	TRANSL	ATION
MATTER		T	DOCUMENT NUMBER	DATE	COUNTRY			YES	NO
MATTER							ļ		
O.C.	ВО	, ]	WO 94/18330 A1	08/18/1994	PCT				
0.0			WO 99/58572 A1	11/18/1999	PCT				1
	BC	)2		07/20/2000	PCT		<b></b>		1
	B	03	WO 00/42072 A1		РСТ				<del></del>
	В	04	WO 01/79299 A1	10/25/2001				1	
		05	WO 03/035835 A2	05/01/2003	PCT				T
	<b></b>		WO 03/066095 A2	08/14/2003	PCT		+	<del> </del>	1
	В	06		11/05/1997	EPC				<del></del>
	В	07	EP 0 359 096 B1						
<del> </del>		308	EP 1 006 183 A1	06/07/2000	EPC				-
10		309	EP 0 343 950 B1	10/18/2000	EPC				
1 0 - 0	<u> </u>		1				<b>-</b> . \		

L+	B09	EP 0 343 950 B1	10/18/2000	EPC
		OTHER REFERE	ENCES (Incl	luding Author, Title, Date, Pertinent Pages, Etc.)
				the property of the property o
C. C.	CUI	stabilized immunoliposi	omes and activ	the targeting cancer therapy, BioDrugs, 2001;13(4):213-24.
	C02	Bendas G, Immunolipo	somes: a promi	ising approach to targeting cancer decay.  : striking a balance during cell regulation, J Clin Invest. 2002 Jan;109(2):161-8
C. C .	C03	Billadeau et al., ITAMs	versus ITIMS:	: Striking a value of a

		olland and Ravetch., Inhibitory pathways triggered by ITIM-containing receptors. Adv Immunol. 1999;72:149-177
7.C.	C04 B	olland and Ravetch., Inhibitory pathways triggered by ITIM-containing receptors. New Med. 2002 May olland et al., Genetic modifiers of systemic lupus erythematosus in FcyRIIB(-/-) mice. J Exp Med. 2002 May
	Be Be	illand et al., Genetic modifiers of systemic representations and the control of human dendritic cells
1	C05 6;	olland et al., Genetic modifiers of systemic tupus of your properties of systemic tupus of your properties of the inhibitory Fcy receptor, FcyRIIb (CD32b), on human dendritic cells procedure of the inhibitory Fcy receptor, FcyRIIb (CD32b), on human dendritic cells procedure of the inhibitory Fcy receptor, FcyRIIb (CD32b), on human dendritic cells procedure of the inhibitory Fcy receptor, FcyRIIb (CD32b), on human dendritic cells procedure of the inhibitory Fcy receptor, FcyRIIb (CD32b), on human dendritic cells procedure of the inhibitory Fcy receptor, FcyRIIb (CD32b), on human dendritic cells procedure of the inhibitory Fcy receptor, FcyRIIb (CD32b), on human dendritic cells procedure of the inhibitory Fcy receptor, FcyRIIb (CD32b), on human dendritic cells procedure of the inhibitory Fcy receptor, FcyRIIb (CD32b), on human dendritic cells procedure of the inhibitory Fcy receptor, FcyRIIb (CD32b), on human dendritic cells procedure of the inhibitory Fcy receptor, FcyRIIb (CD32b), on human dendritic cells procedure of the inhibitory Fcy receptor, FcyRIIb (CD32b), on human dendritic cells procedure of the inhibitory Fcy receptor, FcyRIIb (CD32b), on human dendritic cells procedure of the inhibitory Fcy receptor, FcyRIIb (CD32b), on human dendritic cells procedure of the inhibitory Fcy Richard (CD32b), on human dendritic cells procedure of the inhibitory Fcy Richard (CD32b), on human dendritic cells procedure of the inhibitory Fcy Richard (CD32b), on human dendritic cells procedure of the inhibitory Fcy Richard (CD32b), on human dendritic cells procedure of the inhibitory Fcy Richard (CD32b), on human dendritic cells procedure of the inhibitory Fcy Richard (CD32b), on human dendritic cells procedure of the inhibitory Fcy Richard (CD32b), on human dendritic cells procedure of the inhibitory Fcy Richard (CD32b), on human dendritic cells procedure of the inhibitory Fcy Richard (CD32b), on human dendritic cells procedure of the inhibitory Fcy Richard (CD32b), on human dendritic cells procedure of the inhibitory Fcy R
1 1	C06 (T	(Cs), Laboratory of Cellular Immunobiology, Department of
1	l IN	Y, NY 10021 Control of the control o
_	007 B	rauweiler et al., Partially distinct information and
	CU/ a	ctivated B cells. J immunor. 255-7-1- tip function of human peripheral blood leukocytes. 1666-1666
	C08-1	rown EJ., in vitro assays of programmer of the p
	S	rown EJ., In vitro assays of phagocytic function from EJ., In vitro assays of phagocytic function in transferred mouse B cells ignal transduction. Methods Cell Biol. 1994;45:147-164 grant transduction. Methods Cell Biol. 1994;45:147-164 grant from EJ., Specificity of CD32 mAB for FcyRIIa, FcyRIIb1, and FcyRIIb2 expressed in transferred mouse B cells indicate the company of the company in the company in the company of the company in the c
1	C09 8	nd BHK-21 cells. Leukocyte Typing V: white cell differentiation
1	1 10	Gilks, Harlan, Kisholmon, Cust FowRIIB is a target for deregulation by chromosomal durates
	100	Callanan et al., The IgG Fc Receptor, 1911 and 1912 and 1913 and 1914 and 1
1	1 610 . 1	ymphoma. PNAS. 2000 Jan, 7 Colo human monocyte cell line, U937, with didutylyl Cycles and
	CU	ymphorma. 1743.  Cameron et al., Differentiation of the human monocyte cell line, U937, With 1931-19  Expression of the inhibitory Fe receptor, FcyRIIb. Immunol Lett. 2002 Oct 1;83(3):171-9  Expression of the inhibitory Fe receptor, FcyRIIb. Immunol Lett. 2002 Oct 1;83(3):171-9  Expression of the inhibitory Fe receptor, FcyRIIb. Immunol Lett. 2002 Oct 1;83(3):171-9  Expression of the inhibitory Fe receptor, FcyRIIb Immunol Lett. 2002 Oct 1;83(3):171-9  Expression of the inhibitory Fe receptor, FcyRIIb Immunol Lett. 2002 Oct 1;83(3):171-9  Expression of the inhibitory Fe receptor, FcyRIIb Immunol Lett. 2002 Oct 1;83(3):171-9  Expression of the inhibitory Fe receptor, FcyRIIb Immunol Lett. 2002 Oct 1;83(3):171-9  Expression of the inhibitory Fe receptor, FcyRIIb Immunol Lett. 2002 Oct 1;83(3):171-9  Expression of the inhibitory Fe receptor, FcyRIIb Immunol Lett. 2002 Oct 1;83(3):171-9  Expression of the inhibitory Fe receptor, FcyRIIb Immunol Lett. 2002 Oct 1;83(3):171-9  Expression of the inhibitory Fe receptor, FcyRIIb Immunol Lett. 2002 Oct 1;83(3):171-9  Expression of the inhibitory Fe receptor, FcyRIIb Immunol Lett. 2002 Oct 1;83(3):171-9  Expression of the inhibitory Fe receptor, FcyRIIb Immunol Lett. 2002 Oct 1;83(3):171-9  Expression of the inhibitory Fe receptor, FcyRIIb Immunol Lett. 2002 Oct 1;83(3):171-9  Expression of the inhibitory Fe receptor, FcyRIIb Immunol Lett. 2002 Oct 1;83(3):171-9  Expression of the inhibitory Fe receptor, FcyRIIb Immunol Lett. 2002 Oct 1;83(3):171-9  Expression of the inhibitory Fe receptor, FcyRIIb Immunol Lett. 2002 Oct 1;83(3):171-9  Expression of the inhibitory Fe receptor, FcyRIIb Immunol Lett. 2002 Oct 1;83(3):171-9  Expression of the inhibitory Fe receptor, FcyRIIb Immunol Lett. 2002 Oct 1;83(3):171-9  Expression of the inhibitory Fe receptor of the inhibitory
1_	CII	expression of the influence of the influ
$\overline{}$	C12	Camilleri-Broet et al., 10,1412
	1 <del></del>	Camilleri-Broët et al., FcyRIIB is differentially expressed by human melanoma cells. The J Clin Haematol. 2004;124(1):55-62  Cassard et al., Modulation of tumor growth by inhibitory Fcy receptor expressed by human melanoma cells. The J Clin Cassard et al., Modulation of tumor growth by inhibitory Fcy receptor expressed by human melanoma cells. The J Clin Cassard et al., Modulation of tumor growth by 10(10):1549-1557
1	C13	Cassard et al., Modulation of tumor gloward y minerals of the state of
<del></del>		Channel et al., Identification of the FCy receptor class I build Acad, Sci. USA. 1991 October;88(20):9036-9040
l l	C14	leG1/leG2 hybrid and point-induted
	C15	IgG1/IgG2 hybrid and point-mutated antibodies. Proc. Natl. Acad. Set. Get Value 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	(13	
	C16	Damle et al., B-cell chronic lymphocytic leukelina consumption of antibodies experienced B lymphocytes. Blood 2002 June 1;99(11):4087-4093 experienced B lymphocytes. Blood 2002 B l
	1	Damle et al., B-cell chronic lymphocytic teurchine terms of antibodies experienced B lymphocytes. Blood 2002 June 1;99(11):4087-4093 experienced B lymphocytes. Blood 2002 experienced
		Davies et al. Approximate leads to an increase in ADCC inrough inglicit at the proximate leads to an increase in ADCC inrough in a proximate lead to a proximate leads to a proximate leads to a proximate leads to a proximate lead
	C17	
	┼┼┈┈	Daëron et al., The Same Tyrosine Based Inhibition Motif, in the Intracytoplasmic Daëron et al., The Same Tyrosine Based Inhibition Motif, in the Intracytoplasmic Same Tyrosine Based Inhi
	C18	negatively BCR, TCR- and To wise of the EcyRIIB by a monoclonal antibody to dignic shade
	1	Daëron et al., The Same Tyrosine Based inhibition. Immunity. 1995 Nov;3: 635-646 negatively BCR, TCR- and FcR dependent cell activation. Immunity. 1995 Nov;3: 635-646  Ding et al., Inhibition of the function of the FcγRIIB by a monoclonal antibody to thymic shared antigen-1, a Ly-6 family antigen. Immunology. 2001 Sep;104(1):28-36 antigen. Immunology. 2001 Sep;104(1):28-36  Eppstein et al., Biological activity of liposome-encapsulated murine interferon γ is mediated by a cell membrane Eppstein et al., Biological activity of liposome-encapsulated murine interferon γ is mediated by a cell membrane Eppstein et al., Biological activity of liposome-encapsulated murine interferon γ is mediated by a cell membrane Eppstein et al., Biological activity of liposome-encapsulated murine interferon γ is mediated by a cell membrane
	C19	antigen. Immunology. 2001 September ansulated murine interferon y is interferon
	C20	Eppstein et al., Biological activity of hiposome control of the co
	1 620	receptor. Proc Natl Acad Sci U S A. 1985 Jun;82(11):3688-92 receptor. Proc Natl Acad Sci U S A. 1985 Jun;82(11):3688-92 Fanger et al., Production and use of anti-FcR bispecific antibodies. Immunomethods. 1994 Feb;4(1):72-81 Fanger et al., Production and use of anti-FcR bispecific antibodies. Immunomethods. 1994 Feb;4(1):72-81
	C21	Fanger et al., Production and use of anti-FcR bispecific antibodies. Immunometrious:  Fanger et al., Production and use of anti-FcR bispecific antibodies. Immunometrious:  Farag, et al., FcyRIIIa and FcyRIIIa polymorphisms do not predict response to Rituximab in B-cell chronic  Farag, et al., FcyRIIIa and FcyRIIIa polymorphisms do not predict response to Rituximab in B-cell chronic  Farag, et al., FcyRIIIa and FcyRIIIa polymorphisms do not predict response to Rituximab in B-cell chronic
	1 000	Farag, et al., FcyRilla and FcyRilla 2003 Oct 16 (15 pp.)
_	C22	lymphocytic leukenna. Blood, a higher a higher a higher the cancer therapy. Cancer therapy.
	C23	Fidler, I. J., Macrophages and metastasis-a biologist - 7  26.  Gerber et al., Stimulatory and inhibitory signals originating from the macrophage Fcy receptors. Microbes Infect. 20  Silventic Infect
l	1 023	26.
	C24	Gerber et al., Stimulatory
	4-4-	FCU,J(2).13.
1	C25	Holmes et al., Alleles of the Ly-17 alloantigen define personal street of the Ly-17 alloantigen define personal street of the Ly-17 alloantigen define personal street of USA. 1985 Nov;82(22):7706-10  Hwang et al., Hepatic uptake and degradation of unilamellar sphingomyelin/cholesterol liposomes: a kinetic study.  Hwang et al., Hepatic uptake and degradation of unilamellar sphingomyelin/cholesterol liposomes: a kinetic study.
	<del> </del>	Hwang et al., Hepatic uptake and degradation of unitalities of the land of the influence of
	C20	Proc Natl Acad Sci U S A. 1990 antibodies, II. The contribution of Pcy 16(1):3862-3869
	<del>                                     </del>	Hwang et al., Hepatic uptake and degradation of unitarity and the influence of Proc Natl Acad Sci U S A. 1980 Jul;77(7):4030-4  Proc Natl Acad Sci U S A. 1980 Jul;77(7):4030-4  Isaacs et al., Therapy with monoclonal antibodies. II. The contribution of Fcy receptor binding and the influence of Isaacs et al., Therapy with monoclonal antibodies. II. The contribution of Fcy receptor binding and the influence of Isaacs et al., Therapy with monoclonal antibodies. II. The contribution of Fcy receptor binding and the influence of Isaacs et al., Therapy with monoclonal antibodies. II. The contribution of Fcy receptor binding and the influence of Isaacs et al., Therapy with monoclonal antibodies. II. The contribution of Fcy receptor binding and the influence of Isaacs et al., Therapy with monoclonal antibodies. II. The contribution of Fcy receptor binding and the influence of Isaacs et al., Therapy with monoclonal antibodies. II. The contribution of Fcy receptor binding and the influence of Isaacs et al., Therapy with monoclonal antibodies. II. The contribution of Fcy receptor binding and the influence of Isaacs et al., Therapy with monoclonal antibodies. II. The contribution of Fcy receptor binding and the influence of Isaacs et al., Therapy with monoclonal antibodies. II. The contribution of Fcy receptor binding and the influence of Isaacs et al., Therapy with monoclonal antibodies.
		C <sub>H</sub>   and C <sub>H</sub> 3 domains on in the human lag for Fey receptors: the role of give systems
	C2	
	<del> </del>	Jefferis et al., Recognition sites on manual Jefferis et al., Recognition sites on manual Apr.
	C2	Jefferis et al., Recognition sites of them.  Jan:44(2-3):111-7  Jan:44(2-3):111-7
	C2	Jefferis et al., Recognition sites of them.  Jan:44(2-3):111-7  Jan:44(2-3):111-7
	<del> </del>	Jefferis et al., Recognition sites of the Jan;44(2-3):111-7  Kagari et al., Essential Role of Fcγ Receptors in anti-type II collagen antibody induced arthritis. J. Immunol. Apr. 2003;170:4318-24
	C2	Jefferis et al., Recognition sites of the Jan;44(2-3):111-7  Kagari et al., Essential Role of Fcγ Receptors in anti-type II collagen antibody induced arthritis. J. Immunol. Apr. 2003;170:4318-24
	C2	Jefferis et al., Recognition sites of the Jan;44(2-3):111-7  Kagari et al., Essential Role of Fcy Receptors in anti-type II collagen antibody induced arthritis. J. Immunol. Apr. 2003;170:4318-24  Lifely et al., Glycosylation and biological activity of CAMPATH-1H expressed in different cell lines and grown ur different culture conditions. Glycobiology. 1995 Dec;5(8):813-22  different culture conditions. Glycobiology. 1995 Dec;5(8):813-22
	C2	Jefferis et al., Recognition sites of the Jan;44(2-3):111-7  Kagari et al., Essential Role of Fcy Receptors in anti-type II collagen antibody induced arthritis. J. Immunol. Apr. 2003;170:4318-24  Lifely et al., Glycosylation and biological activity of CAMPATH-1H expressed in different cell lines and grown ur different culture conditions. Glycobiology. 1995 Dec;5(8):813-22  different culture conditions. Glycobiology. 1995 Dec;5(8):813-22  Lin et al., Colony-stimulating factor 1 promotes progression of mammary tumors to malignancy. J Exp Med. 2001;193(6):727-739.
	C2 C2 C3	Jefferis et al., Recognition sites of the Jan;44(2-3):111-7  Kagari et al., Essential Role of Fcy Receptors in anti-type II collagen antibody induced arthritis. J. Immunol. Apr. 2003;170:4318-24  Lifely et al., Glycosylation and biological activity of CAMPATH-1H expressed in different cell lines and grown ur different culture conditions. Glycobiology. 1995 Dec;5(8):813-22  different culture conditions. Glycobiology. 1995 Dec;5(8):813-22  Lin et al., Colony-stimulating factor 1 promotes progression of mammary tumors to malignancy. J Exp Med. 2001;193(6):727-739.
	C2 C2 C3	Jefferis et al., Recognition sites of the Jan;44(2-3):111-7  Kagari et al., Essential Role of Fcy Receptors in anti-type II collagen antibody induced arthritis. J. Immunol. Apr.  Kagari et al., Essential Role of Fcy Receptors in anti-type II collagen antibody induced arthritis. J. Immunol. Apr.  Lifely et al., Glycosylation and biological activity of CAMPATH-1H expressed in different cell lines and grown ur different culture conditions. Glycobiology. 1995 Dec;5(8):813-22  different culture conditions. Glycobiology. 1995 Dec;5(8):813-22  Lin et al., Colony-stimulating factor 1 promotes progression of mammary tumors to malignancy. J Exp Med.  2001;193(6):727-739.  Lin et al., The macrophage growth factor CSF-1 in mammary gland development and tumor progression. J Mammary Gland Biol Neoplasia. 2002;7(2):147-62.  Gland Biol Neoplasia. 2002;7(2):147-62.
	C2 C2 C3 C3 C4	Jefferis et al., Recognition sites of the Jan;44(2-3):111-7  Kagari et al., Essential Role of Fcy Receptors in anti-type II collagen antibody induced arthritis. J. Immunol. Apr. Caparis et al., Essential Role of Fcy Receptors in anti-type II collagen antibody induced arthritis. J. Immunol. Apr. Caparis et al., Glycosylation and biological activity of CAMPATH-1H expressed in different cell lines and grown under the different culture conditions. Glycobiology. 1995 Dec;5(8):813-22  different culture conditions. Glycobiology. 1995 Dec;5(8):813-22  Lin et al., Colony-stimulating factor 1 promotes progression of mammary tumors to malignancy. J Exp Med. 2001;193(6):727-739.  Lin et al., The macrophage growth factor CSF-1 in mammary gland development and tumor progression. J Mammary Gland Biol Neoplasia. 2002;7(2):147-62.
	C2 C2 C3 C3 C4	Jefferis et al., Recognition sites of the Jan;44(2-3):111-7  Kagari et al., Essential Role of Fcy Receptors in anti-type II collagen antibody induced arthritis. J. Immunol. Apr. 2003;170:4318-24  Lifely et al., Glycosylation and biological activity of CAMPATH-1H expressed in different cell lines and grown ur different culture conditions. Glycobiology. 1995 Dec;5(8):813-22  Lin et al., Colony-stimulating factor 1 promotes progression of mammary tumors to malignancy. J Exp Med. 2001;193(6):727-739.  Lin et al., The macrophage growth factor CSF-1 in mammary gland development and tumor progression. J Mamm Gland Biol Neoplasia. 2002;7(2):147-62  Lyden et al., The Fc receptor for IgG expressed in the villus endothelium of human placenta is Fcy RIIb2. J Immun 2001 Mar 15;166(6):3882-9
	C2 C	Jefferis et al., Recognition sites of the Jan; 44(2-3):111-7  Kagari et al., Essential Role of Fcγ Receptors in anti-type II collagen antibody induced arthritis. J. Immunol. Apr. 2003;170:4318-24  Lifely et al., Glycosylation and biological activity of CAMPATH-1H expressed in different cell lines and grown undifferent culture conditions. Glycobiology. 1995 Dec;5(8):813-22 different culture conditions. Glycobiology. 1995 Dec;5(8):813-22 Lin et al., Colony-stimulating factor 1 promotes progression of mammary tumors to malignancy. J Exp Med. 2001;193(6):727-739.  Lin et al., The macrophage growth factor CSF-1 in mammary gland development and tumor progression. J Mammary Lyden et al., The macrophage growth factor CSF-1 in mammary gland development and tumor progression. J Mammary Lyden et al., The Fc receptor for IgG expressed in the villus endothelium of human placenta is Fcγ RIIb2. J Immunol. Apr.
	C2 C	Jefferis et al., Recognition sites of the Jan; 44(2-3):111-7  Kagari et al., Essential Role of Fcγ Receptors in anti-type II collagen antibody induced arthritis. J. Immunol. Apr. 2003;170:4318-24  Lifely et al., Glycosylation and biological activity of CAMPATH-1H expressed in different cell lines and grown undifferent culture conditions. Glycobiology. 1995 Dec;5(8):813-22 different culture conditions. Glycobiology. 1995 Dec;5(8):813-22 Lin et al., Colony-stimulating factor 1 promotes progression of mammary tumors to malignancy. J Exp Med. 2001;193(6):727-739.  Lin et al., The macrophage growth factor CSF-1 in mammary gland development and tumor progression. J Mammary Gland Biol Neoplasia. 2002;7(2):147-62  Gland Biol Neoplasia. 2002;7(2):147-62  Lyden et al., The Fc receptor for IgG expressed in the villus endothelium of human placenta is Fcγ RIIb2. J Immunications.

			alfe, Mast Cells. Physiol Rev. 1997 Oct;77(4):1033-79
J.C	C36	Metc	alfe, Mast Cells. Physiol Rev. 1997 Oct;77(4):1033-79  Ilem et al., Different isoforms of human FcRII distinguished by CDw32 antibodies. J Immunol. 1990
<del></del>	000	Mick	them et al., Different isoforms of human FCKH distinguished by the state of the sta
1	C37	Marc	ch;144:2295-2303  amura et al., Fcy receptor IIB-deficient mice develop Goodpasture's Syndrome upon immunization with Type IV  amura et al., Fcy receptor IIB-deficient mice develop Goodpasture's Syndrome upon immunization with Type IV  amura et al., Fcy receptor IIB-deficient mice develop Goodpasture's Syndrome upon immunization with Type IV  amura et al., Fcy receptor IIB-deficient mice develop Goodpasture's Syndrome upon immunization with Type IV  amura et al., Fcy receptor IIB-deficient mice develop Goodpasture's Syndrome upon immunization with Type IV  amura et al., Fcy receptor IIB-deficient mice develop Goodpasture's Syndrome upon immunization with Type IV  amura et al., Fcy receptor IIB-deficient mice develop Goodpasture's Syndrome upon immunization with Type IV  amura et al., Fcy receptor IIB-deficient mice develop Goodpasture's Syndrome upon immunization with Type IV  amura et al., Fcy receptor IIB-deficient mice develop Goodpasture's Syndrome upon immunization with Type IV  amura et al., Fcy receptor IIB-deficient mice develop Goodpasture's Syndrome upon immunization with Type IV  amura et al., Fcy receptor IIB-deficient mice develop Goodpasture's Syndrome upon immunization with Type IV  amura et al., Fcy receptor IIB-deficient mice develop Goodpasture's Syndrome upon immunization with Type IV  amura et al., Fcy receptor IIB-deficient mice develop Goodpasture's Syndrome upon immunization with Type IV  amura et al., Fcy receptor IIB-deficient mice develop Goodpasture's Syndrome upon immunization with Type IV  amura et al., Fcy receptor IIB-deficient mice develop Goodpasture's Syndrome upon immunization with Type IV  amura et al., Fcy receptor IIB-deficient mice develop Goodpasture's Syndrome upon immunization with Type IV  amura et al., Fcy receptor IIB-deficient mice develop Goodpasture's Syndrome upon immunization with Type IV  amura et al., Fcy receptor IIB-deficient mice develop Goodpasture's Syndrome upon immunization with Type IV  amura et al., Fcy receptor IIB-deficient mice develop Goodpasture'
1		Naka	imura et al., Pey receptor in
1	C38	colla	agen: a novel murine model for Autoimmune Glomerular Discontinuous and support of the support of
1	<b>1</b>	16.19	1(5):899-903 EmpRIIA: A Q to K Change control
1	C39	Non	ris et al., A naturally occurring mutation in FCYRIIA. A vision of the receptor. Blood. 1998 January 15;91(2):656-662  R <sup>131</sup> allelic form of the receptor. Blood. 1998 January 15;91(2):656-662  R <sup>131</sup> allelic form of the receptor. Blood. 1998 January 15;91(2):656-662  R <sup>131</sup> allelic form of the receptor. Blood. 1998 January 15;91(2):656-662  R <sup>131</sup> allelic form of the receptor. Blood. 1998 January 15;91(2):656-662
١	C39	the	ris et al., A naturally occurring mutation in repetitive and the receptor. Blood. 1998 January 15;91(2):656-662  R <sup>131</sup> allelic form of the receptor. Blood. 1998 January 15;91(2):656-662  et al., Downstream of Kinase, p62 <sup>dox</sup> , Is a mediator of FcyRIIB inhibition of FceRI signaling. J. of Immunol.
$\top$	C40	Ott	et al., Downsteam 0. 1
	C40	200	2;168:4430-9 k et al., Immunoliposomes for cancer treatment. Adv Pharmacol. 1997;40:399-435
7	C41	Par	k et al., Immunoliposolites is: Stracomes Biosci Rep. 2002 Apr;22(2):267-81
	C42	Par	k et al., Immunoliposomes for cancer deathers.  k YS, Tumor-directed targeting of liposomes. Biosci Rep. 2002 Apr;22(2):267-81  k YS, Tumor-directed targeting of liposomes. Biosci Rep. 2002 Sep;3(3):237-56  sta LG, Engineering antibodies for therapy. Curr Pharm Biotechnol. 2002 Sep;3(3):237-56  sta LG, Engineering antibodies for therapy. Curr Pharm Biotechnol. 2002 Sep;3(3):237-56  sta LG, Engineering antibodies for therapy. Curr Pharm Biotechnol. 2002 Sep;3(3):237-56
		1-	sta LG, Engineering antibodies for therapy. Curr Pharm Biotechnol. 2002 Sep;3(3):237-30  sta LG, Engineering antibodies for therapy. Curr Pharm Biotechnol. 2002 Sep;3(3):237-30  cop et al., Differential modulation of stimulatory and inhibitory Fcγ receptors on human monocytes by Th1 and Th2  cop et al., Differential modulation of stimulatory and inhibitory Fcγ receptors on human monocytes by Th1 and Th2  cop et al., Differential modulation of stimulatory and inhibitory Fcγ receptors on human monocytes by Th1 and Th2
1	C43	Pre	sta Lt, Eighteening modulation of stimulatory and inhibitory Fey receptors on manufacturing the state of the
	Cu	Pri	cop et al., Differential information of the copy of th
1	C44	Cy1	okines. J Immunot. 2007 antibody (KB61) recognizing a novel antibody
	C45	Pu	cop et al., Differential modulation of stimulatory and manners, lookines. J Immunol. 2001 Jan 1;166(1):531-7  liford et al., A new monoclonal antibody (KB61) recognizing a novel antigen which is selectively expressed on a liford et al., A new monoclonal antibody (KB61) recognizing a novel antigen which is selectively expressed on a liford et al., A new monoclonal antibody (KB61) recognizing a novel antigen which is selectively expressed on a liford et al., For receptor IIB on following dendritic cells regulates the B cell recall response. J Immunol. Im et al., For receptor IIB on following dendritic cells regulates the B cell recall response. J Immunol.
		su	population of figures and the second of the
T	C46	Q	net al., Pcy receptor 112 on 100;164:6268-6275
		120	1 D-Nord InG Fc receptors. Annu Rev Million
	C47	,   R	avetch and Bolland, 180 10 10 10 10 10 10 10 10 10 10 10 10 10
	-100		Desertors Annii Kev Imilianoi. 1993,
	C4		For recentors: rubor redux. Cell. 1994 7108
1	C4	9   R	avetch et al., Fc receptors: rubor redux. Con. 1990.  Lavetch et al., Immune inhibitory receptors. Science. 2000 Oct 6;290(5489):84-9.  Lavetch et al., IgEs targeted on tumor cells: therapeutic activity and potential in the design of tumor vaccines. Cancer teali et al., IgEs targeted on tumor cells: therapeutic activity and potential in the design of tumor vaccines. Cancer teali et al., 1985 targeted on tumor cells: therapeutic activity and potential in the design of tumor vaccines. Cancer teali et al., 1985 targeted on tumor cells: therapeutic activity and potential in the design of tumor vaccines.
	C5	0 R	avetch et al., Immune inhibitory receptors expensive activity and potential in the design of tumor vaccines.
<del></del> +		<del>-                                     </del>	Reali et al., IgEs targeted on tumor cells: therapeutic activity and participated activity activity and participated activity and participated activity activity activity activity and participated activity activi
1	C	'' 15	lac 71111 O1(14), JJ 17 ==
		-	Routledge et al., The effect of aglycosylation on the initiating and the inhibitory for receptor. Science. 2001 antibody. Transplantation. 1995 Oct 27;60(8):847-53 Samuelsson et al., Anti-inflammatory activity of IVIG mediated through the inhibitory Fc receptor. Science. 2001 Samuelsson et al., Anti-inflammatory activity of IVIG mediated through the inhibitory Fc receptor. Science 2001
1	C	)	artificity Transplantation.
		-13	Samuelsson et al., Anti-inflammatory activity
1	C	ו ככ	Jonuary 19: 291,464-460
	-		Samuelsson et al., Anti-inflammatory activity of IVIO included support of Samuelsson et al., Anti-inflammatory activity of IVIO included support of Samuelsson et al., Anti-inflammatory activity of IVIO included support of Samuelsson et al., Anti-inflammatory activity of IVIO included support of Samuelsson et al., Negative signaling via FcyRIIB1 in B cells blocks phospholipase Cy2 tyrosine phosphorylation but not Sarkar et al., Negative signaling via FcyRIIB1 in B cells blocks phospholipase Cy2 tyrosine phosphorylation but not Sarkar et al., Negative signaling via FcyRIIB1 in B cells blocks phospholipase Cy2 tyrosine phosphorylation but not Sarkar et al., Negative signaling via FcyRIIB1 in B cells blocks phospholipase Cy2 tyrosine phosphorylation but not Sarkar et al., Negative signaling via FcyRIIB1 in B cells blocks phospholipase Cy2 tyrosine phosphorylation but not Sarkar et al., Negative signaling via FcyRIIB1 in B cells blocks phospholipase Cy2 tyrosine phosphorylation but not Sarkar et al., Negative signaling via FcyRIIB1 in B cells blocks phospholipase Cy2 tyrosine phosphorylation but not sarkar et al., Sark
	l lc	J4 (	Syk or Lyn activation. I blow mediator of breast cancer invasion
			Scholl et al., Is colony-stimulating factor-1 a key include:  Scholl et al., Is colony-stimulating factor-1 a key include:  7(4):207-11  Shields et al., Lack of fucose on human IgG1 N-linked oligosaccharide improves binding to human Fcy RIII and  Shields et al., Lack of fucose on human IgG1 N-linked oligosaccharide improves binding to human Fcy RIII and  Shields et al., Lack of fucose on human IgG1 N-linked oligosaccharide improves binding to human Fcy RIII and
	١١١		7/A)-707-11
		256	7(4):207-11 Shields et al., Lack of fucose on human IgG1 N-linked oligosaccharide in Property of Shields et al., Lack of fucose on human IgG1 N-linked oligosaccharide in Property of Shields et al., Lack of fucose on human IgG1 N-linked oligosaccharide in Property of Shields et al., Lack of fucose on human IgG1 N-linked oligosaccharide in Property of Shields et al., Lack of fucose on human IgG1 N-linked oligosaccharide in Property of Shields et al., Lack of fucose on human IgG1 N-linked oligosaccharide in Property of Shields et al., Lack of fucose on human IgG1 N-linked oligosaccharide in Property of Shields et al., Lack of fucose on human IgG1 N-linked oligosaccharide in Property of Shields et al., Lack of fucose on human IgG1 N-linked oligosaccharide in Property of Shields et al., Lack of fucose on human IgG1 N-linked oligosaccharide in Property of Shields et al., Lack of fucose on human IgG1 N-linked oligosaccharide in Property of Shields et al., Lack of fucose on human IgG1 N-linked oligosaccharide in Property of Shields et al., Lack of fucose on human IgG1 N-linked oligosaccharide in Property of Shields et al., Lack of fucose on human IgG1 N-linked oligosaccharide in Property of Shields et al., Lack of fucose on human IgG1 N-linked oligosaccharide in Property of Shields et al., Lack of Shields et al.,
		-36	Shields et al., Lack of fucose on human IgG1 N-linked disposed to the human IgG1 Residual Solution (2002) Jul 26;277(30):26733-40 antibody-dependent cellular toxicity. J Biol Chem. 2002 Jul 26;277(30):26733-40 Sondermann et al., The 3.2-Å crystal structure of the human IgG1 Fc fragment-FcyRIII complex. Nature. 2000 Jul Sondermann et al., The 3.2-Å crystal structure of the human IgG1 Fc fragment-FcyRIII complex. Nature. 2000 Jul Sondermann et al., The 3.2-Å crystal structure of the human IgG1 Fc fragment-FcyRIII complex. Nature.
		C57	Sondermann et al., The 3.2-Å crystal structure of the human Ige and human FcyRII that inhibits antigen-induced histamine relea 20;406(6793):267-273  Tam et al., A bispecific antibody against human IgE and human FcyRII that inhibits antigen-induced histamine released to the structure and the structur
			20;406(6/93)-207-201 A his pecific antibody against human IgE and numan Feynth dist
		C58	Tam et al., A bispecific antibody against human IgE and indicated by human mast cells and basophils. Allergy 2004;59:772-780 by human mast cells and basophils. Allergy 2004;59:772-780 Tao and Morrison, Studies of aglycosylated chimeric mouse-human IgG. Role of carbohydrate in the structure and Tao and Morrison, Studies of aglycosylated chimeric mouse-human IgG. Role of carbohydrate in the structure and th
_1			by human mast consistent Studies of aglycosylated chimeric mouse-number 1 mmunol, 1989 Oct 15;143(8):2595-601
		C59	
\L			Traderoveka et al., Design and application of diabodies, unabodies and
	1	C60	Todorovska et al., Design and application of diabodies, triabodies and technology of the state o
السنا			Tridandanani et al., Regulated Expression and Innibitory Pulled St.
	1	C61	
			Tridandapani et al., Regulated Expression and Infinition Territary 1 and 1991 with optimized antibody-dependent cellular Biol. Chem. 277(7):50582-9  Umaña et al., Engineered glycoforms of an antineuroblastoma IgG1 with optimized antibody-dependent cellular Umaña et al., Engineered glycoforms of an antineuroblastoma IgG1 with optimized antibody-dependent cellular Umaña et al., Engineered glycoforms of an antineuroblastoma IgG1 with optimized antibody-dependent cellular Umaña et al., Engineered glycoforms of an antineuroblastoma IgG1 with optimized antibody-dependent cellular Umaña et al., Engineered glycoforms of an antineuroblastoma IgG1 with optimized antibody-dependent cellular Umaña et al., Engineered glycoforms of an antineuroblastoma IgG1 with optimized antibody-dependent cellular Umaña et al., Engineered glycoforms of an antineuroblastoma IgG1 with optimized antibody-dependent cellular Umaña et al., Engineered glycoforms of an antineuroblastoma IgG1 with optimized antibody-dependent cellular Umaña et al., Engineered glycoforms of an antineuroblastoma IgG1 with optimized antibody-dependent cellular Umaña et al., Colony stimulating factor-1 is required to recruit macrophages into the mammary gland to facility and interest expression and interest expressi
1 1		C62	and a to vic activity, that Diotorian
			Van Nguyen et al., Colony stimulating factor-1 is required to
1 1		C63	Van Nguyen et al., Colony stimulating factor-1 is required to restrict the Van Nguyen et al., Colony stimulating factor-1 is required to restrict the Van Nguyen et al., Colony stimulating factor-1 is required to restrict the Van Nguyen et al., FcγR polymorphisms: Implications for function, disease susceptibility and immunotherapy. Tissue Van Nguyen et al., FcγR polymorphisms: Implications for function, disease susceptibility and immunotherapy. Tissue Van Nguyen et al., FcγR polymorphisms: Implications for function, disease susceptibility and immunotherapy. Tissue Van Nguyen et al., FcγR polymorphisms: Implications for function, disease susceptibility and immunotherapy.
1			Van Sorge et al., FcyR polymorphisms: implications
		C64	Antigens. 2003;61:189-202  Antigens. 2003;61:189-202  Line comes in vivo. Immunomethods. 1994 Jun;4(3):259-72
	<b> </b>	1	Van Sorge Coar, Antigens. 2003;61:189-202  Antigens. 2003;61:189-202  Vingerhoeds et al., Immunoliposomes in vivo. Immunomethods. 1994 Jun;4(3):259-72  Vingerhoeds et al., Immunoliposomes in vivo. Immunomethods. 1994 Jun;4(3):259-72
	<u></u>	C65	Antigens. 2003;61:189-202  Vingerhoeds et al., Immunoliposomes in vivo. Immunomethods. 1994 Jun;4(3):259-72  Vingerhoeds et al., Glycosylation of a VH residue of a monoclonal antibody against à (1→6) dextran increases its affin Wallick et al., Glycosylation of a VH residue of a monoclonal antibody against à (1→6) dextran increases its affin Wallick et al., Glycosylation of a VH residue of a monoclonal antibody against à (1→6) dextran increases its affin Wallick et al., Glycosylation of a VH residue of a monoclonal antibody against à (1→6) dextran increases its affin Wallick et al., Glycosylation of a VH residue of a monoclonal antibody against à (1→6) dextran increases its affin wallick et al., Glycosylation of a VH residue of a monoclonal antibody against à (1→6) dextran increases its affin wallick et al., Glycosylation of a VH residue of a monoclonal antibody against à (1→6) dextran increases its affin wallick et al., Glycosylation of a VH residue of a monoclonal antibody against à (1→6) dextran increases its affin wallick et al., Glycosylation of a VH residue of a monoclonal antibody against à (1→6) dextran increases its affin wallick et al., Glycosylation of a VH residue of a monoclonal antibody against à (1→6) dextran increases its affin wallick et al., Glycosylation of a VH residue of a monoclonal antibody against à (1→6) dextran increases its affin wallick et al., Glycosylation of a VH residue of a monoclonal antibody against à (1→6) dextran increases its affin wallick et al., Glycosylation of a VH residue of a monoclonal antibody against à (1→6) dextran increases its affin wallick et al., Glycosylation of a VH residue of a monoclonal antibody against à (1→6) dextran increases its affin wallick et al., Glycosylation of a VH residue of a monoclonal antibody against à (1→6) dextran increases its affin wallick et al., Glycosylation of a VH residue of a monoclonal antibody against à (1→6) dextran increases its affin wallick et al., Glycosylation of a VH residue of a monoclonal antibody against a very all th
	\	C66	Wallick et al., Glycosylation of a VH residue of a monocional anticopy Wallick et al., Glycosylation of a VH residue of a monocional anticopy for antigen. J Exp Med. 1988 Sep 1;168(3):1099-109 for antigen. J Exp Med. 1988 Sep 1;168(3):1099-109 Warmerdam et al., Molecular basis for a polymorphism of human Fc gamma receptor II (CD32). J Exp Med. 1990 Warmerdam et al., Molecular basis for a polymorphism of human Fc gamma receptor II (CD32) isoform
L	1	100	Normardam et al., Molecular basis for a polymorphism of number 1 8 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		C67	-local antibodies recognizing
	1	150	Weinrich et al., Epitope mapping of new monoclonal antibodies 1000 grants
	1	C6	Weinrich et al., Epitope mapping of new monocional authorists  Weinrich et al., Epitope mapping of new monocional authorists  Hybridoma 1996 Nov 2; 15:109-116  Hybridoma 1996 Nov 2; 15:109-116  Wright and Morrison, Effect of glycosylation on antibody function: implications for genetic engineering. Trends
		+-	Wright and Morrison, Effect of glycosylation on antibody tenders and Morrison, Effect of glycosylation on antibody tenders and the Bosed
	1	C6	Wright and Morrison, Effect of glycosylation on animology  Biotechnol. 1997 Jan;15(1):26-32  Xu et al., FcyRs Modulate Cytotoxicity of Anti-Fas Antibodies: Implications for Agonistic Antibody Based  NYJD: 1584
1		4	NYJD: 1584
			70 Theraneutics, J Immunol. 2003;171:562-68 NYJD: 1584

considered. Include copy of this form with next communication to applicant.